

The background of the entire image is a high-resolution, grayscale photograph of a marble surface. The marble features a complex pattern of veins, with some areas being lighter (off-white or light gray) and others being darker (medium to dark gray). The veins are irregular and flow in various directions, creating a natural, organic texture. The lighting appears to come from the upper right, casting soft shadows and highlighting the surface irregularities of the marble.

MIREXX
EXPLORING EXCELLENCE
STATUARIO
COLLECTION

600x1200mm

About us

is a leading provider of high-quality ceramic tiles, specializing in the production and distribution of tiles sized 600x1200mm. With years of experience in the industry, we have established ourselves as a trusted name known for our commitment to quality, innovation, and customer satisfaction.

we understand the importance of selecting the perfect tiles to enhance your spaces. Our extensive range of ceramic tiles offers a wide variety of designs, colors, and finishes to suit every style and preference. Whether you're looking for sleek and modern tiles for a contemporary space or timeless classics for a more traditional setting, we have the perfect solution for you.

We take pride in our state-of-the-art manufacturing facilities and cutting-edge technology, allowing us to produce tiles that meet the highest standards of durability, strength, and aesthetic appeal. Our tiles are crafted using premium quality materials and undergo rigorous quality control measures to ensure superior performance and longevity.

Company statistics

1000+


Happy Clients

30+

Export Countries

250+

Creative Design






WHERE INNOVATION MEETS TECHNOLOGY

Where innovation meets technology, our tile solutions redefine the possibilities for your space. With cutting-edge designs and advanced manufacturing techniques, our tiles combine the best of both worlds. Experience the seamless integration of style and functionality, pushing the boundaries of design with our innovative tile solutions.

MODENA

SACMI

**SYSTEM
Ceramics**



Statement making
and **artistic look**
of Statuario
glossy effect

Features



9MM
Thickness



Frost
Resistance



High Load
Resistance



Thermal
Impact



Anti-slip
Finish



Removable &
Reuse



Easy to
Install



Chemical
Resistance



Ecological
Finish



Fire
Proof




**LARGEST
PRODUCTION CAPACITY**

GVT & PGVT
600X1200MM

large-sized slabs are ideal for
surfaces that demand maximum hygiene, strength
and aesthetic harmony.

DIMENSION
600x1200 mm
2'x4' | 24"x48"


FINISH
POLISHED GLOSSY
SURFACE




ANTIQUE
STATUARIO



ASTER
GRAY




AURO
SATUARIO



CAMILLE
WHITE



CATTA
GOLD




COSMOX
BLUE




COSMOX
WHITE



ECO
WHITE



ENTRIC
BLACK



FITANA
BLACK



FITANA
BROWN



FLAKE
GRAY




FROSTY
GRIS



FROZEN
NERO



GEMI
BLACK



GRANDE
BAIGE




IRIX
GRAY




JAPER
GRAY




MARIK
WHITE



MERO
GRAY



MESTO
GOLD



MILAN
BROWN



MILAN
GRAY




NEUTRAL
WHITE




OBLIC
WHITE



PALACE
GOLD



PANDA
BLACK




PESTO
CARRARA




PRISA
GRAY




PULIS
GRAY



SIGNUM
GOLD



SONIX
STATUARIO



SOUL
STATUARIO



SPARE
GRAY




SPARE
VITA



STATUARIO
ORRA

STATUARIO
COLLECTION


ANTIQUE STATUARIO



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION


ASTER GRAY



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES


FINISH
POLISHED GLOSSY
SURFACE





STATUARIO
COLLECTION


AURO SATUARIO



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION


CAMILLE WHITE



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE





STATUARIO
COLLECTION


CATTA GOLD



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION


COSMOX BLUE



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES


FINISH
POLISHED GLOSSY
SURFACE





STATUARIO
COLLECTION

COSMOX WHITE



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION

ECO WHITE



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES




FINISH
POLISHED GLOSSY
SURFACE





STATUARIO
COLLECTION

ENTRIC BLACK



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION


FITANA BLACK



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






FITANA BROWN



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION


FLAKE GREY



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE





STATUARIO
COLLECTION

FROSTY GRIS



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION

FROZEN NERO



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES


FINISH
POLISHED GLOSSY
SURFACE





STATUARIO
COLLECTION

GEMI BLACK



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION


GRANDE BAIGE



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES


FINISH
POLISHED GLOSSY
SURFACE





STATUARIO
COLLECTION

IRIX GRAY



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




JAPER GRAY



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES


FINISH
POLISHED GLOSSY
SURFACE





STATUARIO
COLLECTION

MARIK WHITE



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION

MERO GRAY



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE





STATUARIO
COLLECTION


MESTO GOLD



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION


MILAN BROWN



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






MILAN GRAY



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION


NEUTRAL WHITE



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






OBLIC WHITE



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION

PALACE GOLD



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES


FINISH
POLISHED GLOSSY
SURFACE





STATUARIO
COLLECTION


PANDA BLACK



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION


PESTO CARRARA



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES


FINISH
POLISHED GLOSSY
SURFACE





STATUARIO
COLLECTION


PRISA GREY



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION


PULIS GREY



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES



FINISH
POLISHED GLOSSY
SURFACE





STATUARIO
COLLECTION


SIGNUM GOLD



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION


SONIX STATUARIO



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES


FINISH
POLISHED GLOSSY
SURFACE





STATUARIO
COLLECTION


SOUL STATUARIO



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE




SPARE GREY



DIMENSION
600x1200 mm
2'x4'
24"x48"


RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE






SPARE VITA



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE



STATUARIO
COLLECTION


STATUARIO ORRA



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE





STATUARIO
COLLECTION


VENATO NATURAL



DIMENSION
600x1200 mm
2'x4'
24"x48"

RANDOM
FACES

FINISH
POLISHED GLOSSY
SURFACE





FLEXURAL RESISTANCE

It has the ability to resist deformation under load. It deforms significantly but does not break



EAR RESISTANCE

It is the core feature it helps to give the perfect finish to edges while cutting.



THERMIC IMPACT RESISTANCE

This provides the surface to tolerate the impact of objects falling on them.



STAIN RESISTANCE

It is durable and easier to clean and retain the original exquisiteness every time.



ABSORPTION RESISTANCE

Our tiles are coated with liquid glass and hence absorb less water.



EASY TO INSTALL

This creation is super easy to apply it can be applied without any tool or laying instructions.




FROST PROOF

they are porous and absorb water easily. These tiles have relatively high frost resistance.




SCRATCH RESISTANCE

It is highly recommended for its scratch resistance property.



SLIP RESISTANCE

Our tiles have an abrasive grit on their surface, increasing their slip resistance significantly.



CHEMICAL RESISTANCE

Its highly resistant to harsh chemical agents like alkalis, acids, household chemicals, and swimming pool salts.



EASY TO CLEAN

It's highly convenient as it is easy to clean and it provides comfort with ease.



ECO LOGICAL

We are committed to the environment and recognize that sustainability is a significant and crucial part of our journey.



TECHNICAL SPECIFICATION

We are delighted to introduce our latest line of high-quality tiles, designed to meet the exacting standards of our esteemed clientele. we pride ourselves on delivering superior products that combine functionality, durability and aesthetic appeal.

600X1200MM

TILES IN EVERY SPACE

We understand that choosing the right tiles for specific application areas is crucial for achieving both functionality and aesthetic appeal. That's why we're delighted to introduce you to our comprehensive selection of tiles designed to excel in various environments:



Dining Hall



Bedroom



Bathroom



Living Room



SPA



Restaurant



Airport



Railway Station



Outdoor



Swimming Pool Area



Garden Area




Parking Area


600X1200MM




LAYING INSTRUCTION




DRY LAYING
ON
GRASS



LAYING ON
GARVEL



LAYING ON
SCREED
WITH ADHESIVE



LAYING ON
RAISED
FLOOR



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin,Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12),Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.



PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	8.5mm	2 pcs.	1.44 sq. mtr.	27.300 KG (APPROX)