

## GVT PGVT TILES 600x600mm / MIRROR





GVT PGVT TILES

500x 500mm

# Inspiring Reflections

MIRROR COLLECTION







600x **600**mm

DIGITAL

GLAZED

VITRIFIED









ANTIQ BLUE









CRESTO BEIGE



MORNING NATURAL





PREVIEW OF TILES: CRESTO BEIGE





600x **600**mm

DIGITAL

GLAZED


VITRIFIED








**ELYSIAN ONYX** 
























600x **600**mm

DIGITAL

GLAZED

VITRIFIED









HD Clarity High Strength










DAINA MARFIL



OCTANO GREY









600x **600**mm

DIGITAL


GLAZED

VITRIFIED


TILES








DEO BLUE





Low Maintenance

Random designs










DEO GREY







600x **600**mm

DIGITAL

GLAZED

VITRIFIED

TILES



DEO NATURAL



TRAVOLTA BEIGE





Stain Resistant



Super Flatness




Low Maintenance







DOMINICA BLUE









600x **600**mm

DIGITAL


GLAZED


VITRIFIED

TILES



FAIRY WHITE





FLEMINGO








Super Flatness




Low Maintenance









**GESTO GREY** 



## GVT PGVT TILES \_\_\_\_ MIRROR



600x 600mm

DIGITAL

GLAZED

VITRIFIED

TILES



LUMBER BLUE




LUMBER BROWN



HD Clarity
High Strength
Stain Resistant



Random designs



LUMBER GREY



MAC CARRARA





600x **600**mm

DIGITAL

GLAZED


VITRIFIED



MIAMI WHITE



SIMON NATURAL




HD Clarity High Strength Stain Resistant









NILANGE BLUE





SIMON BROWN





PREVIEW OF TILES : SIMON NATURAL



PREVIEW OF TILES: SIMON BROWN




600x 600mm


DIGITAL

GLAZED

VITRIFIED

TILES







KASHMIRI STONE





Otam racastan




Super Flatness




Low Maintenance








**ROMA BEIGE** 









600x **600**mm

DIGITAL

GLAZED

VITRIFIED








SEVEN BLUE



HD Clarity High Strength Stain Resistant








SATURN BLUE





SATURN





600x 600mm

DIGITAL


GLAZED

VITRIFIED











SHACK GREY














SQUARE WHITE





# **GVT PGVT TILES** MIRROR



600x **600**mm

DIGITAL


GLAZED


VITRIFIED

TILES



**UNITY BLUE** 





**VENEXY BLUE** 









Low Maintenance











VENEZULA BEIGE

VENEZULA MARBLE



# GVT PGVT TILES \_\_\_\_ MIRROR



600x 600mm

DIGITAL

GLAZED

VITRIFIED

TILES



VENEZULA NATURAL




VIME GREY






Low Maintenance

Random designs





WHITETIGER



# **GVT PGVT TILES** . MIRROR



600x **600**mm


DIGITAL

GLAZED

VITRIFIED

TILES









CARTIER BEIGE






Low Maintenance











TENERE BLUE



# GVT PGVT TILES \_\_\_\_ MIRROR



600x 600mm

DIGITAL

GLAZED

VITRIFIED

TILES



HD Clarity

High Strength

Stain Resistant



Super Flatness




Low Maintenance











VENETA WHITE

LASA GOLD

### WHAT WE DO

- Tile, Kitchen and Bathroom equipment, hardwood, installation materials, solid surface, installation systems (one stop shop)
- Our strict testing and quality controls (shade and caliber consistency), ensure our standards are above industry standards
- Use of environmentally friendly technologies and production methods
- · Latest in Double Charged design, well ahead of independent distributors
- Large product offering that will satisfy the needs of every project, budget or application; commercial or residential, contemporary or traditional

## **SERVICES**

- Design Consultation
- Customer Service
- In-stock selections
- Delivery
- Worldwide logistics

# MARKETS WE SERVICE



Residential



Retail



Hospitality



Commercial



Restaurants/ Bars



Corporate/ Office



Institutional/ Municipal



Healthcare



Multi-Unit

## TECHNICAL SPECIFICATION

SR. NO.	CHARACTERISTICS	STANDARD AS PER ISO 13006/EN 14411 GROUP BIA	OUT VALUE	TEST METHOD
	Regulatory Properties			
1	Deviation in length & Width	±0.5 %	±0.1 %	ISO-10545-2
2	Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
3	Straightness of sides	±0.5 %	±0.1 %	ISO-10545-2
4	Rectangularity	±0.5 %	±0. %	ISO-10545-2
5	Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
6	Colour difference	Unaltered	No change	ISO-10545-16
7	Glossiness	As per. mfg.	Min. 90%	GLOSSO Mtr
1	Structural Properties			
8	Water absorption	<0.50%	<0.20 %	ISO-10545-3
9	Apparent density	>2.0 g/cc	>2.10 g/cc	DIN 51082
Į	Massive Mechanical Properties			
10	Modulus of rupture	Min. 35 N/mm²	Min. 40 N/mm²	ISO-10545-4
11	Impact resistance	As. per. mfg.	Min.0.55	ISO-10545-5
	Surface Mechanical Properties		,	
12	Surface abrasion resistance	As. per. mfg.	Min.Class-3	ISO-10545-7
13	MOH's hardness	As. per. mfg.	Min.4	EN 101
:	Thermo Hydrometric Properties			
14	Frost resistance	No Damge	No Damge	ISO-10545-12
15	Thermal shock resistance	No Damge	No Damge	ISO-10545-9
16	Moisture expansion	Nill	Nill	ISO-10545-1
17	Thermal expansion(COE)	Max. 9.0 x 10-6	Max. 6.5 x 10-6	ISO-10545-8
18	Crazing resistance	As. per. mfg.	Min. 10 Cycle	ISO-10545-1
2	Chemical Properties			
19	Chemical resistance	No Damge	No Damge	ISO-10545-13
20	Stain resistance	Resistance	Resistance	ISO-10545-1
	Thermo Hydrometric Properties			
21	Anti skid (COF)	As. per. mfg.	Matt<0.52,Glossy<0.21	ISO-10545-1
22	Slip resistance	As. per. mfg.	<144 mm²	ISO-10545-1
23	Fire resistance	As. per. mfg.	Fireproof	N.A.
24	Lead &Cadmium given off by glazed tiles	As. per. mfg.	Dose not yelld pb & cd	ISO-10545-7

### PACKING DETAILS

Sr.No.	Dimentions (mm)	No. of Tiles / Boxes	Coverage Area in Sq.Mtr.	Approx Weight / Box
1	600 x 600	4	1.44 Sq.Mtr.	<b>27.00 Kgs.</b> Approx

DISCLAIMER: COMPANY reserves the right to delete & amend either totally or partially, any of the colours, shapes, sizes, references and other technical specifications contained in this catalogue at any time. The colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of colours, sizes, references should be verified for Typographical errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLIANT SHALL BE ENTERTAINED ON TILES ALREADY LAID/FIXED. Complaint of decoration done outside company's facilities will not be entertained.

#### NOTES:

Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right of change the specification without prior notice. Sometime variation in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions in the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed

#### **GENERAL NOTES:**

Any Complaint must be must be brought to the company's notice within 10 days of purchase & before fixing of tiles

#### **EXCLUSIVE APPLICATIONS**

































