

800 X 1600 MM HIGH GLOSS SERIES

# MEET THE NEW CREATIVITY

800X1600MM

## **CERAMIC FLOOR TILES**






# GLØRIØUS


Glorious surfaces that bring new life to your lovely spaces.



### **ALPEN CELESTE**

#### 800X 1600MM





### **AMARULA BLUE**

#### 800X 1600MM DARK HIGHGLOSS


RANDOM



### **AMAZING GREEN**


800X 1600MM DARK HIGHGLOSS

RANDOM






### AMAZONITE LAVA NEGRO





### **AMAZONITE VERDE**






### **ARMA BLACK**











### **ARMA BRONZE**

### 800X 1600MM






### AVOCADO BLUE






### **BASIL BLUE**


#### 800X 1600MM






### **BLUZEE CRYSTAL**









### **BLUZEE SAGE**





### **CAMELOT TORQUOISE**






### **CAMLOT NEON**

#### 800X DARK 1600MM HIGHG


HIGHGLOSS





### **CANOVA AMBER**







### **COSMIC BLACK**







### DRAGO AQUA


#### 800X DARK 1600MM HIGHGLOSS




### **DRAGO BLUE**

#### 800X | DARK 1600MM | HIGHG

HIGHGLOSS






### EAGLE BLUE

#### 800X 1600MM


DARK HIGHGLOSS





### **EAGLE BROWN**

### 800X DA 1600MM HIG





### EMIRALD AQUA


#### 800X 1600MM DARK HIGHGLOSS





### **FLORIAN ICE**

### 800X DA 1600MM HIG






### FOSSIL NERO

### 800X 1600MM





### **GENOVA NATURAL**






### **GLAMOUR AZUL**

#### 800X 1600MM DARK HIGHGLOSS

RANDOM



### LAURENT BLUE






### LEMOORIANO BLACK





### **LEMOORIANO GREEN**


800X 1600MM DARK HIGHGLOSS






### **LEMOORIANO STEEL**








### LIVON CHOCO


### 800X 1600MM

DARK HIGHGLOSS






### LIVON NERO







### LUSH FOREST


### 800X 1600MM






### **MINT GREEN**





### MIRANDA ONYX





### **NORDIC BLUE**

#### 800X E 1600MM F






# **ONYX ROSE**





# **OPELO AQUA**


### 800X 1600MM DARK HIGHGLOSS





## **OPELO AZUL**


#### 800X 1600MM DARK HIGHGLOSS






# **ORABICO BLACK**









# **ORABICO NEGRO**

### 800X 1600MM





# PARADISE AQUA






## PARADISE RED

### 800X DARK 1600MM HIGHG


HIGHGLOSS






## **PETRACIA SILVER**

### 800X DA 1600MM HIG





# PIZZORI AQUA





## **PRISM ONYX**

#### 800X 1600MM DARK HIGHGLOSS






# PULSE AQUA

### 800X 1600MM


DARK HIGHGLOSS






### **PULSE BROWN**

### 800X 1600MM






## **RIVER BLUE**





## **SELENE ROSSO**








## **SELENE STEEL**

### 800X 1600MM







## **TITANO DENIM**

### 800X 1600MM DARK HIGHGLOSS

RANDOM






# **VEGAS BLACK**

### 800X DARK 1600MM HIGHG

HIGHGLOSS



### **TECHNICAL SPECIFICATION**

CHARACTERISTIC	STANDARD AS PER IS0-13006/EN14411 GROUP Bla	VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness		Min 90%	GLOSSOMETER
	As per mfg	WIII 90%	GLOSSOWIETER
STRUCTURAL PROPERTIES	< 0 50 %		100 105 45 0
Water absorption	< 0.50 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROF		Min 40 N/mana 0	100 105 45 4
Modulus of rupture	Min. 35 N/mm2	Min. 40 N/mm2	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PRO			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
THERMO HYGROMETRIC PRO	PERTIES		
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10 <sup>-6</sup>	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	SO-10545-14
SAFETY PROPERTIES			·
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N. A.
Lead & Cadmium given off	As per mfg	Does not yield	ISO-10545-15
by glazed tiles		Pb & Cd	

### **PACKING DETAILS**

Size	Tiles / Box	Coverage Area / Box	Coverage Area / Box
80X160CM	2 pcs	2.56 Sq. m.	27.55 Sq. ft.

Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.